

Thermo Scientific Nalgene Polyolefin Plastic Labels

Cat. Nos. 6319-0010, 6319-0015, 6319-0020, 6319-0030, 6319-0040

Thermo Scientific™ Nalgene™ polyolefin plastic labels are ideal for lab and field applications where virtually indestructible labels are desired. The polyolefin paper stock from which these labels are made is waterproof, and resistant to most chemicals and tearing. Nalgene polyolefin labels adhere to plastic and glass. Autoclavable. Rated for use to -29°C.

Warning: Although polyolefin label stock is chemically resistant, some chemicals may dissolve label adhesive causing them to come loose.

Nalgene polyolefin labels are laser and ink jet printer compatible. Additionally, the labels accept a variety of inks including copier, marker, ballpoint, gels, and technical markers. **The labels do not accept pencil.** Due to the variety of ink formulations (including printers) available, we recommend pre-testing all inks/printers for suitability prior to use.

Easy Label Word Processing Set-up Instructions (Inches)

Cat. No.	6319-0010	6319-0015	6319-0020	6319-0030	6319-0040
Label Standard	Custom	Custom	5260	5267	5163
Top Margin	0.56	0.3	0.5	0.5	0.5
Side Margin	0.31	0.3	0.19	0.28	0.16
Vertical Pitch	1	0.8	1	0.5	2
Horizontal Pitch	1	1.6	2.75	2.06	4.19
Label height	0.88	0.8	1	0.5	2
Label width	0.88	1.5	2.63	1.75	4
Number across	8	5	3	4	2
Number down	10	13	10	20	5
Page Size	8-1/2 x 11	8-1/2 x 11	8-1/2 x 11	8-1/2 x 11	8-1/2 x 11

Easy Label Word Processing Set-up Instructions (Centimeters)

Cat. No.	6319-0010	6319-0015	6319-0020	6319-0030	6319-0040
Label Standard	Custom	Custom	5260	5267	5163
Top Margin	1.42	0.76	1.27	1.27	1.27
Side Margin	0.79	0.76	0.48	0.71	0.41
Vertical Pitch	2.54	2.03	2.54	1.27	5.08
Horizontal Pitch	2.54	4.06	6.98	5.23	10.64
Label height	2.24	2.03	2.54	1.27	5.08
Label width	2.24	3.81	6.68	4.44	10.16
Number across	8	5	3	4	2
Number down	10	13	10	20	5
Page Size	21.6 x 27.9	21.6 x 27.9	21.6 x 27.9	21.6 x 27.9	21.6 x 27.9